

# F70-4K4

4K laser phosphor projector



LASER PHOSPHOR



CONSTANT  
LIGHT OUTPUT

24/7  
OPERATION

PULSE  
PROCESSING

1  
CHIP  
DLP

4K  
UHD



- Up to 4K (3,840 x 2,400) resolution
- Durable and robust for 24/7 operation
- Improved motion Smear Reduction Processing (SRP)
- Long lifetime (up to 60,000 hours)

The F70-4K4, powered by Barco Pulse image processing, is a 4,000-lumen addition to the flagship F70 laser-phosphor series with native WQXGA and up to 4K (3,840 x 2,400) resolution. It comes with improved performance for fast moving content, as well as improved color-to-white ratio, intended for high-demanding applications. Designed specifically for the simulation market's tough requirements it is robust and reliable, with an outstanding image quality.

#### 24/7 operation for Low Total Cost of Ownership (TCO)

Designed for the motion platform's rapid and sudden movements, it is the perfect choice for any type of applications that need a robust visual system that last over time and can be operated 24/7. With a lifetime of up to 60,000 hours\* coupled with long service intervals, the F70-series is one of the most durable projectors on the market and make sure the training time is maximized.

#### Optimized for smooth image performance

The F70-4K4's powerful and improved Motion Smear Reduction Processing (SRP) is optimized to remove the typical challenges occurring when viewing fast-moving content, e.g. when an aircraft is rolling, pitching, or banking. Combined with an improved color-to-white ratio, the user will experience increased brightness in colors, better color performance across moving images and deeper black levels for an impeccable reproduction of scenes. The SRP feature will also have a positive impact on lifetime.

With the Constant Light Output (CLOTM) functionality, the projector produces predictable, constant brightness and color over time. And thanks to Barco's unique and proprietary Single Step Processing (SSPTM) technology inherent in Barco Pulse, the F70 can perform several simultaneous processing intensive tasks, like running 4K resolution and warping/blending, without adding extra latency, providing a sharper and higher overall image quality.

\*Depending on the mode of operation

ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ	F70-4K4
Яркость	4,000 lumens
Уровень контрастности	1800:1 sequential, 50,000:1 dynamic
ИК режим для имитации систем ночного видения	no
Однородность яркости	90%
Форматное соотношение	16:10
Тип проектора	1DLP laser phosphor
Разрешение	3,840 x 2,400 / 3,840 x 2,160 / 2,560 x 1,600 (native)
Тип объектива	FLD-series
Сдвиг оптической линзы	Vertical up to 146%, depending on lens Horizontal up to 70%, depending on lens Motorized zoom and focus (+ lens memory FLDX lenses) Motorized lens shift (with position memory on all lenses)
Коррекция цвета	P7 RealColor™
CLO (постоянная светоотдача)	Yes
Источник света	Laser phosphor
Срок эксплуатации ЖКИ	Up to 60,000 hours, depending on mode of operation
Ядро Sealed DLP™	Yes
Ориентация	360° rotation, no restrictions
3D	Active stereoscopic 3D
Обработка изображений	Embedded warp & blend engine (Barco Pulse)
Коррекция трапецеидальных искажений	Yes
Входы	HDSDI 2x DP1.2 2x dual link DVI-I HDBaseT HDMI2.0 (HDCP2.2, HDR10) RJ 45 Ethernet DMX in/out RS232 in 2x USB 12v out

**ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ****F70-4K4**

<b>Разрешения входного сигнала</b>	Including and up to: 3,840 x 2,400 @ 60Hz 3,840 x 2,160 @ 60Hz 4,096 x 2,160 @ 60Hz 2,560 x 1,600 @ 120Hz refresh rates: 24Hz to 120Hz for WQXGA (2560x1600) and 24Hz to 60Hz for 4K/4KUHD (4096 x 2160/ 3860 x 2400)
<b>Программные средства</b>	Projector Toolset
<b>Контроль</b>	IR, RS232, RJ45
<b>Соединение сети</b>	IR, RS232, RJ45
<b>Требования к источнику питания</b>	100-240V / 50-60Hz
<b>Энергопотребление</b>	743 W nominal, 1100 W maximum
<b>БТЕ/ч</b>	Max 4,000 BTU/h
<b>Уровень шума (номинал при 25 °C / 77 °F)</b>	36 dB(A)
<b>Рабочая температура</b>	10 -40 °C (sea level)
<b>Температура при хранении</b>	-20 to 60 °C
<b>Допустимая влажность</b>	20 -80% RH
<b>Влажность при хранении</b>	10 -90% RH
<b>Габариты (WxLxH)</b>	475 x 593 x 286 mm / 18,7 x 23,3 x 11,2 in
<b>Вес</b>	37 kg / 81,5 lbs
<b>Стандартные аксессуары</b>	Power cord, wireless remote control
<b>Сертификаты</b>	CE, FCC Class A and cNus
<b>Гарантия</b>	Limited 3 years parts and labor. Extendable up to 5 years

Создано: 01 Jul 2020

Технические характеристики могут изменяться без предварительного уведомления. Для получения самой последней информации посетите веб-сайт [www.barco.com](http://www.barco.com).